

AA.A1G1 BALTIC PHOTIC ROCK AND BOULDERS DOMINATED HYDROIDS (HYDROZOA)

AUTHOR

HELCOM RED LIST Biotope Expert Team

TEXTUAL DESCRIPTION

Baltic bottoms in the photic zone with at least 90 % coverage of rock, boulders or stones of more than 63 mm in diameter. Epibenthic cnidarians cover at least 10%, and more than other perennial attached erect groups. Out of the attached epibenthic cnidariand hydroids represent at least 50 % of the biomass.

PHYSICAL ENVIRONMENT

Substrate is rock and/or boulders.

CHARACTERISTIC SPECIES

Hydrozoa

QUALITY DESCRIPTORS

Diversity, abundance and biomass of fauna.

GEOGRAPHIC RANGE

Known from Russia waters

CORRESPONDENCE WITH OTHER CLASSIFICATION SYSTEMS

HELCOM 1998:

2.1.1.2.1 Sublittoral level soft rock bottoms with little or no macrophyte vegetation

2.1.2.2.1 Sublittoral level stony bottoms with little or no macrophyte vegetation

EUNIS 2012:

A3.4 : Baltic exposed infralittoral rock

A3.5 : Baltic moderately exposed infralittoral rock

A3.6 : Baltic sheltered infralittoral rock