

AA.I2T BALTIC PHOTIC COARSE SEDIMENT CHARACTERIZED BY SPARSE EPIBENTHIC MACROCOMMUNITY

AUTHOR

HELCOM RED LIST Biotope Expert Team

TEXTUAL DESCRIPTION

Baltic photic bottoms with at least 90 % coverage of coarse sediment. Coarse sediment has less than 20 % of mud/silt/clay fraction (<63 µm), and the proportion of gravel and pebbles (grain size 2–63 mm) exceeds 30% of the combined gravel and sand fraction. Sessile/semi-sessile epifauna and flora is present but below 10 % coverage.

PHYSICAL ENVIRONMENT

Substrate is coarse sediment. Appears in high energy exposure areas.

CHARACTERISTIC SPECIES

Mytilus spp, Hydroids, *Amphibalanus improvisus*

QUALITY DESCRIPTORS

Diversity, abundance and biomass of fauna.

GEOGRAPHIC RANGE

Whole Baltic Sea

CORRESPONDENCE WITH OTHER CLASSIFICATION SYSTEMS

HELCOM 1998:

2.4 Gravel bottoms

2.4.2 Sublittoral photic zone

2.4.2.1 Level bottoms with little or no macrophytevegetation

EUNIS 2012:

A5 Sublittoral sediment

A5.1 Sublittoral coarse sediment

A5.11 Infralittoral coarse sediment in low or reduced salinity

A5.111 : Baltic level gravel bottoms of the infralittoral photic zone with little or no macrophyte vegetation

<http://eunis.eea.europa.eu/habitats/2576>