

AA.M1C5 BALTIC PHOTIC MIXED SUBSTRATE DOMINATED BY PERENNIAL FILAMENTOUS ALGAE

AUTHOR

HELCOM RED LIST Biotope Expert Team

TEXTUAL DESCRIPTION

Baltic bottoms in the photic zone with more than 10 %, but less than 90 % coverage of both hard and soft substrata. Perennial algae covers at least 10 % of the seabed and more than other perennial attached erect groups. Out of the perennial algae, perennial filamentous algae constitutes at least 50 % of the biovolume.

PHYSICAL ENVIRONMENT

Salinity range: >5 psu; Exposure range: moderate to high; Depth range: photic zone from about 2 meters.

CHARACTERISTIC SPECIES

Polysiphonia fucooides, *Aegagrophila linnaei*, *Cladophora rupestris*, *Rhodomela confervoides*

QUALITY DESCRIPTORS

Lower limit of vegetation, amount of epiphytic algae

GEOGRAPHIC RANGE

Whole Baltic Sea

ANTHROPOGENIC THREATS

Eutrophication

CORRESPONDENCE WITH OTHER CLASSIFICATION SYSTEMS

HELCOM 1998:

2.8 Mixed sediment bottoms

2.8.2 Sublittoral photic zone

2.8.2.2 Dominated by macrophyte vegetation

EUNIS 2012:

A5 Sublittoral sediment

A5.5 Sublittoral macrophyte-dominated sediment

<http://eunis.eea.europa.eu/habitats/1733>